



Mito - Vinyl

Product Images



MITO is an innovative vinyl fabric for interior and exterior application. It has high performance structural properties, helping to create premium quality finished surfaces on soft furniture. *MITO* has a good abrasion resistance, is flame retardant, easy to clean, colourfast and is resistant to mould and bacteria.

MITO is available in a contemporary selection of colours. It has an umatched surface feel which can be described as being similar to suede leather. It has a refined look with a fine microstructure and an elegant cloud print. *MITO* offers soft furnishing a beautiful surface character and a visual richness.

Description

- Colour Chart
- Backing Options
- Quilting and Welding

Colour Options





161 slate grey

Foam Backed Material

Mito is also available with various laminated finishes such as foam backing. This process can be applied to orders of 15m or more. The following lamination options are available:

3mm foam backing 3mm foam backing + felt 3mm foam backing + cloth 5mm foam backing 5mm foam backing + felt 5mm foam backing + cloth

Quilting and Electrowelding

A high-frequency electrowelding machine is used to process artificial leather and apply a soft layer of needlepunched polyester (called leacryl) and a third thin PVC layer that protects the padding from moisture and dirt. The resilt is a pleading 'quilted' product that can be used also for covering cushions outdoor since the external fabric has not been punched and is therefore completely waterproof. The same pattern is also available on request with the internal PVC padding of a thickness of 4-6mm, which is more compact and resistant. Comes in various patterns with grooves of 3, 4, 5, 6, 9, 12 and 20mm wide, squares of 5, 10 and 12mm and 2 types of diamond-shaped pattern.

- Slight colour difference between different batches are possible. Italvipla and Timage reserve the right to update the colour range and to improve the technical properties of the product without notice.
- Special colours require a minimum of 500 metres
- CLEANING INSTRUCTIONS : Clean with mild soap and tepid water then rinse gently. Never use solvents, alcohol, steam cleaners, bleaches or aggressive detergents.

Additional Information

Material	PVC
Material Thickness (mm)	1.30 (+/- 0.1)
Use	Interior & Exterior Application
Weight (kg)	1.100000
Manufacturer	Italvipla

