



Oasi - Vinyl Faux Leather

Product Images



Short Description

Oasi is a high-end, classic coated fabric, with a pleasant - almost powder like - touch. *Oasi* is an elegant range and includes warm tones that are visually similar to a full-grain leather.

Oasi is priced per metre and has a minimum order quantity of 2m.

Description

- [Colour Chart](#)
- [Backing Options](#)
- [Quilting and Welding](#)

Colour Options



Foam Backed Material

Oasi is also available with various laminated finishes such as foam backing. This process can be applied to orders of 15m or more. The following lamination options are available:

- 3mm foam backing
- 3mm foam backing + felt
- 3mm foam backing + cloth
- 5mm foam backing

5mm foam backing + felt

5mm foam backing + cloth

Quilting and Electrowelding

A high-frequency electrowelding machine is used to process artificial leather and apply a soft layer of needle-punched polyester (called leacryl) and a third thin PVC layer that protects the padding from moisture and dirt. The result is a pleating 'quilted' product that can be used also for covering cushions outdoor since the external fabric has not been punched and is therefore completely waterproof. The same pattern is also available on request with the internal PVC padding of a thickness of 4-6mm, which is more compact and resistant. Comes in various patterns with grooves of 3, 4, 5, 6, 9, 12 and 20mm wide, squares of 5, 10 and 12mm and 2 types of diamond-shaped pattern.

- Slight colour difference between different batches are possible. Italvipla and Timage reserve the right to update the colour range and to improve the technical properties of the product without notice.
- Special colours require a minimum of 500 metres
- **CLEANING INSTRUCTIONS** : Clean with mild soap and tepid water then rinse gently. Never use solvents, alcohol, steam cleaners, bleaches or aggressive detergents.

Additional Information

Material	PVC
Material Thickness (mm)	0.90 (+/- 0.1)
Use	Interior & Exterior Application
Manufacturer	Italvipla

