



UP12/E-LO 12/24V Electr. Pump For Viscous Liquid, PTFE Gears

£601.54

Excl. Tax: £501.28

Product Images



Short Description

Self-priming automatic electric pump with helical PTFE gears, integrated check valve and electronic control. Nickel-plated brass body and stainless steel shaft. Main applications: transfer of high viscosity water-based liquids.

This pump features Marco's *Intelligent Brain* ECU system. The pump is able to detect the constant pressure in the plumbing system and respond accordingly when the pressure drops caused by an outlet being used. This means that the pump can respond to demand and only ever works at the appropriate speed for any given usage. Advantages of this system include:

- Quieter running - pump rarely needs to run at full speed
- Longer lasting - a more mechanically sympathetic arrangement
- Less consumption
- No need for accumulator/expansion tank*
- Intelligent programming and inclusion with digital switching systems
- Fault finding - ECU logs error codes and allows for faster diagnostics


Now featuring the Marco 'Integrated Flange' which seals the motor for extended life of the brushes and lowering of electrical consumption.

* Please consult our technical department if intending to install this pump without an accumulator tank. There are some scenarios in which an accumulator tank will still be required.

Description

Electrical absorption


UP12-E-LO



marco.it

Flow rate

UP12-E-LO



marco.it

Additional Information

Input Voltage	12 / 24Vdc
Flow Rate	26 l/min
Pressure	2.5 bar
Liquid Type	Water + liquid chemicals
Power Consumption	14 / 7 Amps
Motor Power	360W
Fuse	25 Amps
Hose Connection	16mm
Weight (kg)	4.940000
Manufacturer	Marco

