



Tritone Mini Spotlight

From

£66.92

Excl. Tax: £55.77

Product Images




Short Description

The Tritone spotlight range builds on the excellent foundations laid by the Plutone and Mercurio range and contains some of our most advanced LED technology. The Tritone Mini features a 1.5 watt LED module and is the smallest fitting in the Tritone range and is ideal for use as a feature light or even as a courtesy light.

- Interior & exterior spotlight
- Excellent anti-glare properties with recessed LED source
- Black techno-polymer body
- Custom finishes available on request
- Tempered glass lens
- Available in numerous white colour temperatures as well as blue
- CRI>90
- Fixing with an installation cup (interference)

The installation cup makes fitting the luminaire hassle-free. This spotlight is designed to be installed with a pressure fixing method. Either a precise hole needs to be made in the installation surface to hold the luminaire or the cup can be glued/bonded in place and guarantees a perfect fit every time. In the yacht industry, the cup is conceived to be incorporated into the fibreglass or other structure during the yacht build. The light then is then simply pushed into the cup, being held in place by interference. In this installation method, the fitting has no springs but a gasket instead to aid a good press fit.

Description





Installation cup

Accessories - Installation Cup


The installation cup is a great way to facilitate installation into surfaces where spring fixings will not work. Scenarios include surfaces that are too thick to allow the springs to fold against the B-side of the surface as well as installation into mouldings. The cup can be incorporated into the installation surface at an earlier time in the project with the light being fitted last to reduce accidental damage.


Power Regulator

The 10-30Vdc power regulator is always a remote item on the power cable of the fitting. This offers numerous advantages over alternative methods used by competitor brands. Keeping the power regulator separate reduces heat build-up on the LED circuit board and therefore increases performance and longevity of the LEDs.

Remote regulators can also be easily removed so that the product can be powered directly with the correct

amperage, very useful for integration in some mains voltage applications.





Additional Information

Weight (kg)	0.300000
Manufacturer	Foresti & Suardi
Installation	Recessed
Light Element Type	Power LED
Wattage	1.5W
CRI	>90
Input Voltage	10-30Vdc
IP Rating	IP65
Dimmer	Yes
Bezel Size (mm)	Ø21.50
Cut-out Size (mm)	Ø15.00
Depth (mm)	32.00
Finish	Chrome

Product Options

LED Colour:	White 2700°K
	White 3200°K
	Blue

