



Prometeo QRP Spotlight

From
£95.10

Excl. Tax: £79.25

Product Images



Short Description

The Prometeo spotlight packs a huge amount of technology into a very compact form. The Nichia™ LED chip produces a very high quality LED output with an average colour rendering index of 95. The spotlight is waterproof from both the front and rear and is available in various lens angles and colour temperatures.


- Interior & exterior spotlight with frame-less design
- Galvanised brass face, painted
- Tempered glass lens
- Anodised aluminium heatsink
- Multiple lens angles available
- Available in numerous white colour temperatures as well as red
- CRI>90

Description

Standard 31° photometric information displayed below. Photometric data on other lens angles available on request.



PROMOTEO QRP
art./ref. 5187



0.5	0.25 0.30	E(0°) E(C90) E(C0)	14.0° 16.6°	1015 465 448
1.0	0.50 0.60	E(0°) E(C90) E(C0)	14.0° 16.6°	254 116 112
1.5	0.75 0.89	E(0°) E(C90) E(C0)	14.0° 16.6°	113 52 50
2.0	1.00 1.19	E(0°) E(C90) E(C0)	14.0° 16.6°	63 29 28
2.5	1.25 1.49	E(0°) E(C90) E(C0)	14.0° 16.6°	41 19 18
3.0	1.50 1.79	E(0°) E(C90) E(C0)	14.0° 16.6°	28 13 12

Distance [m] Cone Diameter [m] Illuminance [lx]

— C0 - C180 (Half value angle: 33.2°)
— C90 - C270 (Half value angle: 28.0°)

Additional Information

Weight (kg)	0.090000
Manufacturer	Foresti & Suardi
Installation	Recessed
Light Element Type	Power LED
Wattage	3W
Input Voltage	10-30Vdc
IP Rating	IP65
Dimmer	Yes
Bezel Size (mm)	36.00 x 36.00
Depth (mm)	43.00
Finish	Black

Product Options

LED Colour:	White 2700°K
	White 3200°K
	White 4000°K
	Red
Lens Angle:	13°
	23°
	31°
	Elliptical 21°-14°

