



# Volans 40 Adjustable Spotlight

From **£128.40** Excl. Tax: £107.00

#### **Product Images**



### **Short Description**

The Volans range of adjustable spotlights is an important group of products within our lighting range. The surface mounted design of the fittings combined with the ability to adjust the direction of output make them perfect luminaires in an anti-glare lighting plan. No recess depth is required to fit the products which also means that they can be installed in areas where there is no space above headlinings or ceiling panels.

The Volans fitting is not only suitable for use as a spotlight but can also double up as a reading light, the narrow lens angle of 13° being ideal for this use as it offers a focused and powerful output.

As standard the fitting is supplied in a chrome plated finish. The item is photographed here in a galvanised brushed brass finish which is available on request and may be subject to a minimum order quantity.

- Adjustable surface mounted spotlight
- 13° lens offers a focused light output
- Chrome plated finish standard (brush galvanised brass photographed- special order)
- 10-30Vdc input
- Dimmable

#### Description

## VOLANS 40 - 40P art./ref. 6138 - 6138.50

Power LED						
101 L UMEN		1242 Lux ad 1 m				ANGLE
105°		105	P	1		
90*	A	90	• 0.5	0.11 0.12		4968
75°	S-A-	75	1.0	0.22		1242
60*	6000	60	1.5	0.33 0.36		552
45*	9000	45	2.0	0.43 0.48		311
	V		2.5	0.54 0.61		199
30° 15°	0*	15° 30	<sup>°</sup> 3.0	0.65 0.73		138
cd/Kim			distance (m)	cone diameter (m)		uminance (lx

## **Additional Information**

Weight (kg)	0.337000		
Manufacturer	Foresti & Suardi		
Installation	Surface Mounted		
Light Element Type	Power LED		
Angle	30°		
Lens Angle	13°		
Lux Level at 1 Metre	1242.00		
Lumens	101.00		
Lumens Per Watt (Lm)	50.50		
Wattage	2W		
CRI	>80.00		
Input Voltage	10-30Vdc		
IP Rating	IP20		
Dimmer	Yes		
Finish	Chrome		

## **Product Options**

LED Colour:

White 3200°K

White 4000°K

