



# Right Line G Rigid LED Strip

From **£115.78** Excl. Tax: £96.48

## **Product Images**





#### **Short Description**

Aluminium profile with specially designed LED module. Right Line G is available in 520mm or 1020mm lengths as standard although custom lengths are available on request. The profile features an aesthetic flange which makes installation fast and simple.

- 29W/m or 39W/m LED module in either 3200°K or 4000°K
- Opal lens
- Supplied complete with fixing brackets
- Interior application
- Dimmable and non-dimmable versions (39W/m and 29W/m)

## **Description**



RIGHT LINE F/G art./ref. 8400.L3 / 8410.L3

RIGHT LINE F/G art./ref. 8400.L6 / 8410.L6





## **Additional Information**

Weight (kg)	0.300000
Manufacturer	Foresti & Suardi
Depth (mm)	38.00
Width (mm)	47.00
Height (mm)	38.00
Input Voltage	24-28Vdc
IP Rating	IP20
Dimmer	No
LEDs Per Metre	120
Cutting Intervals (mm)	100.00 (+28.00)
Strip LED Type	Rigid Aluminium Profile

## **Product Options**

Length (mm):	530.00
LED Colour:	White 3200°K
	White 4000°K
Light Element Type:	SMD LED 29W/m
	SMD LED 39W/m

