



UP1 Bilge Pump With Rubber Impeller - 35 Litres / Minute

From

£184.21

Excl. Tax: £153.51

Product Images



Short Description

Self-priming electric water pumps with self-lubricating flexible impeller for prolonged service life and better performance. Nickel plated brass body with stainless steel shaft.

The *UP1* is ideal for use for bilge service as the flexible impeller can handle an amount of solids in suspension, up to a maximum size of Ø5mm, but not abrasive particles. This means that the pump will continue to perform even with debris being passed through, thus making the pump suitable for sea water use. It is recommended that an inlet filter is still used when using the pump with fluids containing impurities.


The pump provides a steady, pulse-free flow.

- 12 or 24Vdc pump
- Flexible impeller in NBR material makes it an ideal bilge pump solution
- Pulse-free steady flow
- Fresh or salt water application
- High quality construction from Italian manufacturer Marco
- Patented flange eliminates possible condensation build-up and extends motor life
- Complies with ISO 8846 and ISO 8849

Description

Electrical absorption


UP1



marco.it

Flow rate

UP1



marco.it

Additional Information

Flow Rate	35 l/min
Pressure	1.2 bar
Liquid Type	Fresh + salt water
Power Consumption	3 Amps
Motor Power	180W
Hose Connection	25.00
Ports (BSP)	1/2"
Weight (kg)	2.995000
Manufacturer	Marco

Product Options

Input Voltage:	12Vdc
	24Vdc

