



# UP10/E 12/24V High Pressure Variable Speed Electronic Fresh Water Pump 18 Litres/Minute - 6 Bar

£522.44 Excl. Tax: £435.37

#### **Product Images**





#### **Short Description**

Self-priming automatic electric pump with helical PTFE gears, integrated check valve and electronic control. Nickel-plated brass body and stainless steel shaft. Main applications: fresh water pressure systems and shower kits, campers.

This pump features Marco's *Intelligent Brain* ECU system. The pump is able to detect the constant pressure in the plumbing system and respond accordingly when the pressure drops caused by an outlet being used. The means that the pump can respond to demand and only ever works at the appropriate speed for any given usage. Advantages of this system include:

- Quieter running pump rarely needs to run at full speed
- Longer lasting a more mechanically sympathetic arrangement
- Less consumption
- No need for accumulator/expansion tank\*
- Patented flange eliminates condensation build-up in motor housing and extends motor life
- Intelligent programming and inclusion with digital switching systems
- Fault finding ECU logs error codes and allows for faster diagnostics


Now featuring the Marco 'Integrated Flange' which seals the motor for extended life of the brushes and lowering of electrical consumption.

\* Please consult our technical department if intending to install this pump without an accumular tank. There are some scenarios in which an accumulator tank will still be required.

### Description

# Electrical absorption


UP10-E



marco.it

## Flow rate

UP10-E



marco.it

## **Additional Information**

Input Voltage 12 / 24Vdc  Flow Rate 18 I/min  Pressure 6 bar  Liquid Type Fresh water  Power Consumption 11 / 5.5 Amps  Motor Power 360W  Fuse 25 Amps  Hose Connection 13mm  Ports (BSP) 3/8"  Weight (kg) 4.660000  Manufacturer Marco		
Pressure 6 bar  Liquid Type Fresh water  Power Consumption 11 / 5.5 Amps  Motor Power 360W  Fuse 25 Amps  Hose Connection 13mm  Ports (BSP) 3/8"  Weight (kg) 4.660000	Input Voltage	12 / 24Vdc
Liquid TypeFresh waterPower Consumption11 / 5.5 AmpsMotor Power360WFuse25 AmpsHose Connection13mmPorts (BSP)3/8"Weight (kg)4.660000	Flow Rate	18 l/min
Power Consumption 11 / 5.5 Amps  Motor Power 360W  Fuse 25 Amps  Hose Connection 13mm  Ports (BSP) 3/8"  Weight (kg) 4.660000	Pressure	6 bar
Motor Power360WFuse25 AmpsHose Connection13mmPorts (BSP)3/8"Weight (kg)4.660000	Liquid Type	Fresh water
Fuse 25 Amps Hose Connection 13mm  Ports (BSP) 3/8"  Weight (kg) 4.660000	Power Consumption	11 / 5.5 Amps
Hose Connection 13mm  Ports (BSP) 3/8"  Weight (kg) 4.660000	Motor Power	360W
Ports (BSP) 3/8"  Weight (kg) 4.660000	Fuse	25 Amps
Weight (kg) 4.660000	Hose Connection	13mm
	Ports (BSP)	3/8"
Manufacturer Marco	Weight (kg)	4.660000
	Manufacturer	Marco

