




PI 395C

Product Images


















Short Description

- Retractable telescopic gangway, triple stage, with automatic function for retraction/extension, telescoping and elevation
- Structure made in polished or powder coated stainless steel
- Grating boardwalk made in iroko
- Courtesy lighting
- Carriage extension available to overcome the steps
- Aluminium housing box with automatic hatch
- Housing box not watertight
- One row of automatic handrail and one row of manual removable stanchions for the version over 400

cm length

- Manual pump for emergency
- Remote and touchpad panel remote control to operate from the cockpit

Description

The discretion and respect of the lines of the hull are guaranteed by Besenzoni with this solution of the walkway in two or three stages: it allows to achieve important measures so they are also suitable for large yachts. With this solution, the gangway "invites" guests on board, illuminating the walkway through the use of a courtesy LED where required and facilitating the walking with manual or automatic stanchions that allow an easy entry. The whole passerelle has contained in an housing box that well integrates with the yacht space. Design Center Besenzoni studies and designers these kind of yacht components in cooperation with the designers and shipyards to find the best solutions based on the different requirements.

Additional Information

Walkway Width (mm)	300.00
Lower Angle	≈ 10°
Raise Angle	≈ 10°
Cassette Height (mm)	195.00

Product Options

Maximum Extension (mm):	2880.00
	3480.00
	4000.00
	4500.00
	5000.00

