



# G 711


## **Product Images**




















#### **Short Description**

- Hydraulic crane with telescopic boom
- Lifting Capacity 700 kg
- Powder coated stainless steel structure
- Molded fiberglass cowling for base and arm
- Hydraulic movement for rotation, boom extension, luffing and hoisting cable
- Counterweight with rubber inserts for cable tension
- Manual retaining system for cable weight whilst cruising
- Water resistant handheld wired control
- Manual pump for emergency
- Warning buzzer signals when crane is in motion
- Hydraulic power pack concealed inside the fiberglass base cowling

#### **Description**

Besenzoni tender recover and launching systems are studied for the handling of water toys and tenders, up to 2 tons in weight. The whole collection of Besenzoni recovering and launching systems has been developed to respond the need of facilitating, simplifying and rationalizing the technical operations of recovering and launching, ensuring safety and security.

Lifting Capacity at Maximum Extension (kg)	700.00
Height (mm)	860.00
Pivot Point to Outer Cowling (mm)	515.00
Lift Angle (°)	≈ 50°
Base Length (mm)	1400.00
Base Width (mm)	560.00
Manufacturer	Besenzoni

## **Product Options**

Overall Length (mm):	2800.00
	3050.00
	3400.00
Rotation Angle:	180°
	270°



### **Additional Information**