




Tango - PU Fabric

Product Images



Short Description

Tango is a polyurethane used for the internal coating of walls, ceilings, various decorations and small upholstered furniture. It can be requested coupled with foam rubber of various thicknesses and possibly with the addition of a light layer of felt or polyester knit which facilitates its processing (seaming or gluing). Do not use solvent-based adhesives.

Tango has a distinctive texture and feel thanks to the weave-like pattern design. The fabric is especially suited to upholstering ceiling or wall panels.

Description

- Colour Chart
- Backing Options

Colour Options



Foam Backed Material

Tango is also available with various laminated finishes such as foam backing. This process can be applied to orders of 15m or more. The following lamination options are available:

3mm foam backing

3mm foam backing + felt

3mm foam backing + cloth

5mm foam backing

5mm foam backing + felt

5mm foam backing + cloth

- Slight colour difference between different batches are possible. Italvipla and Timage reserve the right to update the colour range and to improve the technical properties of the product without notice.
- Special colours require a minimum of 500 metres
- CLEANING INSTRUCTIONS: Clean with mild soap and tepid water then rinse gently. Never use solvents, alcohol, steam cleaners, bleaches or aggressive detergents.

Additional Information

Material	Polyurethane
Use	Interior Application Only
Manufacturer	Italvipla

