



Alhena 50 Wall Light

From **£341.36** Excl. Tax: **£284.47**

Product Images



Alhena 50 Wall is a tubular wall washing luminaire. With twin LED modules at either end of the fitting, the *Cassiopea* wall light illuminates the installation surface, refracting and washing the surface with light whilst keeping glare to an absolute minimum.

This wall fitting is available in two LED colour temperatures as standard, either 3200K or 4000K.

Made entirely from marine-grade materials, the *Alhena 50 Wall* luminaire is designed to continue to perform for many years, regardless of the environmental conditions. The fitting must, however, be kept protected from water and is designed for interior application only.

- 10-30Vdc input
- LED chip in 3200K or 4000K
- Remote voltage regulator installed on power cable can be easily removed if directly powering with required current
- Dimmable
- Chrome plated finish

Description

Please note. The below photometric data is representative of a single LED module. The 7088 *Alhena 50 Wall* features twin LED modules at each end of the luminaire.

ALHENA -50wall art./ref. 7088

Power LED 55° 265 L UMEN 258 L ux ad 1 m ANGLE 105° 105° 0.47 1030 0.5 0.56 90° 90° 0.94 75° 75° 258 1.0 1.12 1.41 60° 400 60° 114 1.5 1.68 1.87 600 45° 45° 64 2.0 2.24 800 2.34 41 2.5 2.79 2.81 3.0 3.35 29 30° 30° 15° 0° 15° cd/Klm distance (m) cone diameter (m) illuminance (lx)

Additional Information

Weight (kg)	1.200000
Manufacturer	Foresti & Suardi
Installation	Surface Mounted
Light Element Type	Power LED
Lens Angle	55°
Lux Level at 1 Metre	258.00
Lumens	265.00
Lumens Per Watt (Lm)	73.61
Wattage	3.6 W x2
CRI	>80
Input Voltage	10-30Vdc
IP Rating	IP20
Dimmer	Yes
Depth (mm)	61.00
Finish	Chrome
Fixing Dimensions	100mm x 20mm

Product Options

LED Colour:	White 3200°K
	White 4000°K

