




SI 513 Folding Bathing Ladder

Product Images



Short Description

- Automatic folding ladder with handrails
- Suitable for boats with limited space for the housing of the ladder cassette
- Structure made from polished or powder coated 316 grade stainless steel
- Steps made from solid teak with non-slip inserts
- Aluminium housing box
- Combined with electro hydraulic control unit
- Available with 9 or 11 steps
- Customisation of last step available on request.

Description

The *SI513* is a zero compromise approach to boarding any yacht. The hybrid product concept blends together bathing ladder, boarding ladder and gangway into one multifunctional piece of equipment. The design team at Besenzoni once again demonstrate their level of innovation with the *SI513* and its folding design. The ladder retracts into an extremely compact cassette thanks its hydraulically controlled folding action, making the installation of this product possible even for projects where space is at a premium.

Being a fully automatic product, the ladder simply deploys at a touch of a button. The product functions on a hydraulic system and requires a power pack to operate. This can either be a standalone unit solely for the ladder (sold separately) or it can be grouped together with other hydraulic products on a centralised system on board.

The ladder is constructed from 316 stainless steel and can be supplied in either a polished or powder coated finish. The ladder is supplied as standard with solid teak steps which seamlessly extend the yacht's teak deck into the water. Additional features include fully automatic handrails that seamlessly deploy when the ladder is operated. The added security of the handrails on both the port and starboard side of the ladder, combined with the adjustability of the deployment angle, make the *SI513* one of the most user friendly models available on the market. The steps are self-levelling, making boarding easy and safe for all users.

The *SI513 Aquarius* features an electronic sensor system which can be used to alert the helm when the ladder is deployed and can for instance be used to immobilise engines.

This bathing ladder is available in 2 different lengths: 9 steps or 11 steps.

Additional Information

Folded Length (mm)	1450.00 - 2050.00
Cassette Height (mm)	250.00 - 330.00
Cassette Length (mm)	1720.00 - 2790.00
Cassette Width (mm)	1030.00 - 1200.00
Step Width (mm)	830.00
Operation Type	Hydraulic
Weight (kg)	600.0000
Manufacturer	Besenzoni
Finish	316 Stainless Steel

Product Options

Version:

9 Step

11 Step

