



# M2 Marine 6.5" Full Range Speakers - ColorOptix™ - White

Regular Price

**£514.91** Special Price

**£360.43**

Excl. Tax: £300.36

## Product Images



## Short Description

---

The M2-65 Color Optix™ 2-way 6.5" speakers deliver loud, clear, accurate sound, and light the way for your journey! The speakers connect with the Rockford Fosgate Color Optix™ Controller and RF Connect App, allowing you to customize your own color patterns. The Element Ready™ design and IP67 certification makes them truly purpose-built for marine or motorsport applications where protection from damaging UV rays and water spray is essential. Includes both standard and stainless steel grille inserts.

## Description

---

The M2 series of Element Ready™ speakers are designed to pair with the Rockford Fosgate Color Optix™ Controller and RF Connect App through its Deutsch™ and Amphenol™ connectors integrated into the speaker. This combined with their IP67 certification make these speakers Element Ready™ and truly purpose built for marine applications. To complete your sound experience, the M2 speakers are complimented by 10-inch Infinite Baffle subwoofers, also controlled through the Color Optix™ lighting system.

- Integrated 1" (25 mm) tweeter with dual neodymium magnet motor
- Laminated "PXNX" Dome tweeter
- 1" (25mm) High Temp Kapton™ Woofer Voice Coil Former
- Ultra-high temperature PA66 with 30% glass-fill injection-moulded frame with UV inhibitors
- Gold plated Marine grade brass terminals provide a corrosion resistant connection
- Proprietary Dual Function Input Terminals
- Integrated Deutsch RGB and Speaker receptacles
- Vented motor design with water-repelling nano coated mesh screen
- 100% UV Stable Centrex plastic grill
- Linear Aramid-Polyester Composite Spider
- Fully insulated silicone tinsel leads
- UV and Salt-Fog resistant TPE (Thermo-Plastic Elastomer) surround
- VAST vertical attach surround technique increases effective radiating cone area up to 25%
- Injection moulded mineral filled polypropylene cone body with UV inhibitors
- Co-moulded surround and cone body
- 12dB/Oct Crossover network
- Fully sealed integrated concealed crossover (ICC) network
- Metallized Polyester Film Capacitors
- Optically clear UV stable Encapsulated LED PCB
- Multiplexed RGB Input
- Optically clear UV stable RGB Lighting Encapsulation
- Ultra-Bright, Wide Angle Tri-Colour Surface Mount LED's with Flat Mould Lenses
- 2-Year Warranty

## Additional Information

---

|                            |                              |
|----------------------------|------------------------------|
| Weight (kg)                | 2.250000                     |
| Manufacturer               | Rockford Fosgate             |
| Finish                     | White                        |
| Speaker Type               | 2-Way Coax                   |
| Speaker Size               | 6.5"                         |
| Speaker Impedance          | 4-Ohms                       |
| Crossover                  | High-Pass (HP): 12dB/Octave  |
| Power Handling (Watts RMS) | 150 Watts RMS 600 Watts Peak |
| Tweeter Size               | 1.0" (25 mm)                 |
| Recess Diameter (mm)       | 136.20                       |
| Depth (mm)                 | 63.20                        |
| Speaker Input Connector    | Deutsch™                     |
| IP Rating                  | IPX6                         |
| SPL (dB @ 1w/1m)           | 91.80                        |

