



10" M2 DVC Color Optix™ Sealed Enclosure Marine Subwoofer - White - 2- Ohm or 8-Ohm Switchable

Regular Price

£514.91 Special
Price

£360.43

Excl. Tax: £300.36

Product Images





Short Description

The M2D2-10S is a 10" DVC 4-Ohm Color Optix™ subwoofer that connects with our Rockford Fosgate Color Optix™ controller and RF Connect™ App, allowing you to customize your own color patterns. Connectivity is handled through integrated Deutsch™/Amphenol™ connectors that make wiring simple and error proof. Wiring with the Versa Switch™ allows you to quickly configure the voice coil in series or parallel with flip of switch. This "S" model is optimized for small sealed enclosures where space is at a premium. Includes 2-piece grille with interchangeable colored plastic and stainless-steel insert.

Description

The M2 series of Element Ready™ subwoofers are IP67 certified, making them truly purpose-built for marine and motorsport applications where protection from damaging UV rays and water spray is essential. They are designed to pair with the Rockford Fosgate Color Optix™ controller and RF Connect App through its Deutsch™ and Amphenol™ connectors integrated into the basket. To compliment the plug and play connectivity and streamline installation, M2 subwoofers are equipped with a Versa Switch™ to make changing impedance between 2 and 8 ohms as easy as flipping a switch. Matching the theme of your boat can be further customized by using the included color insert or stainless-steel grille for that sport look.

- Adjust color experience to suit your taste with Rockford Fosgate® Color Optix™ controller (optional)
- Integrated Deutsch™/Amphenol™ connectors make wiring connections simple and error proof
- VERSA impedance switch quickly allows series or parallel configuration without additional wiring
- Optimized for small sealed enclosures when there is very little space for an enclosure
- Element Ready™ design protects against outdoor exposure
- IPX6 Marine Grade for prevention of water intrusion

- Ultra-bright wide-angle RGB LEDs provide rich, reliable illumination
- Industry's first molded in-frame connectors for simple connectivity in addition to conventional spade terminals
- Deutsch™ connector front/rear silicone seal protects against water ingress
- VAST vertical attach surround technique increases effective radiating cone area up to 25%
- Injection molded mineral filled polypropylene cone body with UV inhibitors
- 100% UV Stable ASA plastic frame & grille design stands up to harsh marine environment
- Gold plated Marine grade brass terminals provide a corrosion resistant connection
- 2-piece grille allows for interchangeable stainless-steel or "sport" option
- Provides superb low and midrange frequency reproduction with smooth high frequency roll-off
- Klippel Verified certification program delivers the best possible speakers
- 2-Year Warranty

Additional Information

Weight (kg)	5.260000
Manufacturer	Rockford Fosgate
Finish	White
Speaker Size	10"
Speaker Impedance	2-Ohm or 8-Ohm Switchable
Power Handling (Watts RMS)	400 Watts RMS 1600 Watts Max
Depth (mm)	107.70
Speaker Input Connector	Spade (speaker) + Deutsch™ (RGB LED)
Re (Ohms)	6.50
Fs (Hz)	28
Magnet Weight (Kg)	0.90
IP Rating	IPX6
Qes	1.07
Qms	5.18
Qts	0.89
SPL (dB @ 1w/1m)	86.00
Le (mH)	3.43
Xmax (mm)	12.00
Vas (Litres)	38.20
Subwoofer Displacement (Litres)	1.74
Voice Coil Diameter	49.53

