




10" M2 DVC Color Optix™ Sealed Enclosure Marine Subwoofer - White - 1-Ohm or 4-Ohm Switchable

Regular Price £514.91 Special Price £360.43 Excl. Tax: £300.36

Product Images





Short Description

The M2D2-10S is a 10" DVC 4-Ohm Color Optix[™] subwoofer that connects with our Rockford Fosgate Color Optix[™] controller and RF Connect[™] App, allowing you to customize your own color patterns. Connectivity is handled through integrated Deutsch[™]/Amphenol[™] connectors that make wiring simple and error proof. Wiring with the Versa Switch[™] allows you to quickly configure the voice coil in series or parallel with flip of switch. This "S" model is optimized for small sealed enclosures where space is at a premium. Includes 2-piece grille with interchangeable colored plastic and stainless-steel insert.

Description

The M2 series of Element Ready[™] subwoofers are IP67 certified, making them truly purpose-built for marine and motorsport applications where protection from damaging UV rays and water spray is essential. They are designed to pair with the Rockford Fosgate Color Optix[™] controller and RF Connect App through its Deutsch[™] and Amphenol[™] connectors integrated into the basket. To compliment the plug and play connectivity and streamline installation, M2 subwoofers are equipped with a Versa Switch[™] to make changing impedance between 2 and 8 ohms as easy as flipping a switch. Matching the theme of your boat can be further customized by using the included color insert or stainless-steel grille for that sport look.

- Adjust color experience to suit your taste with Rockford Fosgate® Color Optix[™] controller (optional)
- Integrated Deutsch™/Amphenol™ connectors make wiring connections simple and error proof
- VERSA impedance switch quickly allows series or parallel configuration without additional wiring
- Optimized for small sealed enclosures when there is very little space for an enclosure
- Element Ready™ design protects against outdoor exposure
- IPX6 Marine Grade for prevention of water intrusion

- Ultra-bright wide-angle RGB LEDs provide rich, reliable illumination
- Industry's first molded in-frame connectors for simple connectivity in addition to conventional spade terminals
- Deutsch™ connector front/rear silicone seal protects against water ingress
- VAST vertical attach surround technique increases effective radiating cone area up to 25%
- Injection molded mineral filled polypropylene cone body with UV inhibitors
- 100% UV Stable ASA plastic frame & grille design stands up to harsh marine environment
- Gold plated Marine grade brass terminals provide a corrosion resistant connection
- 2-piece grille allows for interchangeable stainless-steel or "sport" option
- Provides superb low and midrange frequency reproduction with smooth high frequency roll-off
- Klippel Verified certification program delivers the best possible speakers
- 2-Year Warranty

Additional Information

Weight (kg)	5.260000
Manufacturer	Rockford Fosgate
Finish	White
Speaker Size	10"
Speaker Impedance	1-Ohm or 4-Ohm Switchable
Power Handling (Watts RMS)	400 Watts RMS 1600 Watts Max
Depth (mm)	112.70
Speaker Input Connector	Spade (speaker) + Deutsch™ (RGB LED)
Re (Ohms)	3.30
Fs (Hz)	43
Magnet Weight (Kg)	1.56
IP Rating	IPX6
Qes	0.86
Qms	5.69
Qts	0.74
SPL (dB @ 1w/1m)	90.30
Le (mH)	1.17
Xmax (mm)	11.00
Vas (Litres)	30.50
Subwoofer Displacement (Litres)	1.18
Voice Coil Diameter	50.80

