





# 10x10mm Mini Top View Neon Flex - Constant Voltage

From

**£309.47**

Excl. Tax: £257.89

## Product Images





## Short Description

---

Mini neon effect LED strip light with single colour output. Compact 10mm x 10mm profile with innovative 3 sided lens. This neon flex is available for sale online in 10 metre reels which can be cut to length and the [end caps](#) and [connectors](#) applied (sold separately).



- IP67 rated casing with IP67 connectors and end caps
- Uniform neon light output
- 120° beam output
- White in choice of 2700°K, 3000°K, 4000°K available from stock, 5000°K or 6000°K upon request.
- Available in static colours such as blue, red, green, yellow, amber
- 3 year warranty
- Dimmable with Dali, DMX, PWM
- Top view light output - flex in the same direction of light output
- Can be custom made to order in specified lengths (multiples of 37.5mm units)
- Compatible with either [aluminium](#) or [transparent](#) plastic mounting channels (aluminium available in clips and metre lengths)

## Description

---










10x10mm Mini Top View Neon Flex

Silicone construction IP67 Dimmable 12Vdc available on request Constant current version also available

Code	CCT	CRI	LM/m	Watt/M	Cut Unit	Min. Bend Radius	Max. Length	Voltage	Type
NFT1010CV.5.24V.2200	2000-2200	>90	330	5	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.5.24V.2400	2300-2500	>90	355	5	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.5.24V.2700	2600-2800	>90	380	5	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.5.24V.3000	2900-3100	>90	400	5	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.5.24V.3500	3400-3700	>90	370	5	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.5.24V.4000	3800-4300	>90	430	5	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.5.24V.5000	4800-5300	>90	430	5	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.5.24V.6000	5900-6400	>90	420	5	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.5.24V.R	RED		150	5	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.5.24V.G	GREEN		510	5	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.5.24V.B	BLUE		94	5	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.5.24V.A	AMBER		128	5	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.5.24V.P	PINK		180	5	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.10.24V.2200	2000-2200	>90	645	10	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.10.24V.2400	2300-2500	>90	685	10	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.10.24V.2700	2600-2800	>90	735	10	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.10.24V.3000	2900-3100	>90	785	10	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.10.24V.3500	3400-3700	>90	720	10	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.10.24V.4000	3800-4300	>90	830	10	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.10.24V.5000	4800-5300	>90	830	10	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.10.24V.6000	5900-6400	>90	810	10	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.10.24V.R	RED		330	10	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.10.24V.G	GREEN		920	10	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.10.24V.B	BLUE		175	10	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.10.24V.A	AMBER		270	10	35.7mm	50mm	5m Single Power Input	24Vdc	CV
NFT1010CV.10.24V.P	PINK		345	10	35.7mm	50mm	5m Single Power Input	24Vdc	CV

Constant current version available for lengths above 5 metres powered from a single end

Code	Description	Code	Description
NFT1010.EC1B	DIY IP67 silicone end cap for 10x10mm top view	NFT1010.UA1	Aluminium 1m U mounting channel for 10x10mm top view
NFT1010.S1B.300	DIY IP67 silicone side connector for 10x10mm top view - 300mm cable	NFT1010.UA1.B	Aluminium 1m U mounting channel for 10x10mm top view - black
NFT1010.B1B.300	DIY IP67 silicone bottom connector for 10x10mm top view - 300mm cable	NFT1010.UAC	Aluminium U mounting clip for 10x10mm top view
NFT1010.E1B.300	DIY IP67 silicone end connector for 10x10mm top view - 300mm cable	NFT1010.UP1	Transparent plastic 1m U mounting channel for 10x10mm top view
NFT1010.IM.E1.300	IP67 injection moulded end connector for 10mm x 10mm top view - 300mm cable	NFT1010.USC	Stainless steel U mounting clip for 10x10mm top view



# Additional Information

Weight (kg)	1.500000
Lens Type	Opal
Unit of Sale	10 Metre Reel
Light Element Type	SMD LED
Material	Silicone
Lens Angle	120°
Width (mm)	10.00
Height (mm)	10.00
Input Voltage	24Vdc
IP Rating	IP67
Dimmer	Yes
LEDs Per Metre	168
CRI	>80
Cutting Intervals (mm)	35.70
Lumens Per Watt (Lm)	64.50 - 86.00 (Colour Temperature & Wattage Dependant)
Luminous Flux (lm/M)	330.00 - 830.00 (Colour Temperature & Wattage Dependant)
Operating Temperature Range (°C)	-20 ~ 50 °C
Strip LED Type	Flexible Neon

# Product Options

---

Wattage:	10W / Metre
	5W / Metre
LED Colour:	White 2700°K
	White 3000°K
	White 4000°K

