







SP607 Bathing Ladder Gangway

Product Images







Short Description

A market leading hydraulic bathing ladder gangway. The SP 607 is available in three standard sizes to suit a range of applications. Made from 316-grade stainless steel, the ladder can be supplied in a polished or powder coated finish.

- 5+1 steps, 6+1 steps or 7+1 steps
- Manual stanchions
- 50° downward operation
- 48° upward operation
- 316-grade stainless steel with anodised aluminium cassette

Description

Standard Specification

- Automatic multifunction ladder combined with gangway function
- Suitable for side or stern installation
- Possibility to tilt the ladder upward or downward keeping the steps levelled
- Double tubular structure made in polished or powder coated stainless steel with covers (polished or painted)
- Self-levelling carbon or teak steps (from 6 up to 8 steps)
- Downward inclination 50°
- Upward inclination 48°
- Manual removable stanchions with rope handrail
- Aluminium housing box (not watertight)
- Touchpad panel remote control to operate from the cockpit
- Combined with electro-hydraulic control unit

Drawing

Please refer to the Product Attachments tab to download the technical drawing for all three models.

Additional Information

Weight (kg)	0.000000
Walkway Width (mm)	445.00
Lower Angle	50°
Raise Angle	48°
Cassette Width (mm)	560.00
Operation Type	Hydraulic

